

Item	Description	Note
Measured content	Phase difference between a motor and resolver. Current angle of a resolver.	
Measurement accuracy	Within ± 0.1°	Repeated accuracy in the standard condition inour company's standard environment.
Supported motors	No. of poles: 2 to 9 poles Inductive voltage: 100 V or less	No. of poles settable.
Supported resolvers	No. of axial double angle: 1 to 9 double angle Transformer ratio: 0.14 to 0.66	No. of axis double angle settable.
Power supply	Single phase AC 100V to 240V 50/60Hz	
External dimensions	W310mm×H320mm×D120mm	Projected parts included.
Weight	3.5kg	Accessories not included.
Working environment	Temperature: 0 to 50°C Humidity: 15 to 85%	
Accessories	Motor connection cable (Clip) Resolver connection cable (M4 round terminal) Electromagnetic brake connection cable (Clip) AC 100V power supply cable	

External dimensions



< Development / Manufacturing >



http://www.nst-co.com

58 Toyooka-cho, Chuo-ku, Hamamatsu-shi, Shizuoka, 433-8103 JAPAN TEL.+81 53-430-6311 FAX.+81 53-430-6312

Nippon System Technology


Resolver Phase Difference Measuring Device Reso-Meter® RM-100



The importance of accurate angle measurement.


A resolver is used to measure the precise angular position of a motor. Especially for EVs, which require longer cruising range, it is essential to improve the energy efficiency of motor control. In order to reliably extend this cruising distance, it is important to rotate the motor according to the given command and power. Accurate angular position measurement of resolvers is required.

Cruising distance comparison



Reduce measurement time

Measurement time has been shortened to one tenth compared to Traditional method.



Delivery record

Motor manufacturer



Electronics company



Resolver manufacturer



Introduction to major enterprises.



Car manufacturer



Heavy industry manufacturer



Auto parts manufacturer



Construction machinery manufacturer

Future business expansion

In-house motor maintenance

By internalizing the maintenance work that is outsourced to external sources, it becomes possible to achieve cost reduction and swift responsiveness.





Service workshop



Car dealer